

-OH, -NH₂ and halogen; -C₃-C₆ cycloalkyl; -(C₁-C₄ alkyl)-O-(C₁-C₄ alkyl); -C₂-C₄ alkenyl; and -C₂-C₄ alkynyl;

R_C is selected from -(CR₂₄₅R₂₅₀)₀₋₄-aryl; -(CR₂₄₅R₂₅₀)₀₋₄-heteroaryl; -(CR₂₄₅R₂₅₀)₀₋₄-heterocycloalkyl; where the aryl and heteroaryl groups attached to the -(CR₂₄₅R₂₅₀)₀₋₄- group are optionally substituted with 1, 2, 3 or 4 R₂₀₀ groups; where the heterocycloalkyl group attached to the -(CR₂₄₅R₂₅₀)₀₋₄ group is optionally substituted with 1, 2, 3, or 4 R₂₁₀ groups; and R₂₄₅, R₂₅₀, R₂₀₀, and R₂₁₀ are as defined above.

5. (Original) A compound according to claim 4, wherein 40
12/28/06
R_C is -(CR₂₄₅R₂₅₀)₀₋₄-heterocycloalkyl; where the heterocycloalkyl group attached to the -(CR₂₄₅R₂₅₀)₀₋₄- group is optionally substituted with 1, 2, 3, or 4 R₂₁₀ groups, wherein R₂₄₅, R₂₅₀, and R₂₁₀ are as defined above.

6 (Original) A compound according to claim 5, wherein R₁ is C₁-C₁₀ alkyl substituted with one aryl group, where the aryl group is optionally substituted with 1 or 2 R₅₀ groups; R_C is -(CR₂₄₅R₂₅₀)₁₋₄-aryl or -(CR₂₄₅R₂₅₀)₁₋₄-heteroaryl, R₂₄₅ and R₂₅₀ are independently selected from H, -(CH₂)₀₋₄CO₂C₁-C₄ alkyl, -(CH₂)₀₋₄CO₂H, -C₁-C₄ alkyl, -(C₁-C₄ alkyl)OH, or